Notice of Allowability	Application No.	Applicant(s)
	10/700,256	GANT, DREW
	Examiner	Art Unit
	Diane Yabut	3734
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>4/27/2006</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-27</u> .		
3. Acknowledgment is made of a claim for foreign priority un  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have  2. Certified copies of the priority documents have  3. Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	been received.  been received in Application No cuments have been received in this rece	national stage application from the complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. 🗵 CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(d	ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☑ Examiner's Amendr	te

Application/Control Number: 10/700,256 Page 2

Art Unit: 3734

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with James R. Yee on 31 May 2006.

The application has been amended as follows:

3. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In Figure 3 of the Amendments to the Drawings received on 27 April 2006, applicant does not include the reference sign **90**, referring to "cup aperture **90**" on page 8, paragraph 0041, which is also mentioned in the Ex Parte Quayle Action sent by examiner on 22 March 2006. It appears that applicant has added reference sign **96** in Figure 3, which should instead read as a reference sign **90**. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes. The noted correction of Figure 3 of the drawings is attached.

Application/Control Number: 10/700,256 Page 3

Art Unit: 3734

4. In the original claims received on 03 November 2003 (as well as the same original claims received on 27 April 2006 with the Amendments)

Claim 20, line 3 delete "the coupling portion" and insert --a coupling portion--.

Claim 21, lines 1-2 delete "the plurality of pin apertures" and insert --a plurality of pin apertures--.

Claim 22, line 1 delete "the coupling portion" and insert --a coupling portion--.

Claim 23, line 1 insert --of the blade-- after "second end".

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Diane Yabut whose telephone number is (571) 272-6831. The examiner can normally be reached on M-F: 9AM-4PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Hayes can be reached on (571) 272-4959. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/700,256 Page 4

Art Unit: 3734

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DY

MICHAEL J. HAYES SUPERVISORY PATENT EXAMINER

MJ Hager

## REPLACEMENT SHEET

